

Buddhawood Essential Oil

ANALYSIS

Laboratoire
PhytoChemia





SAMPLE IDENTIFICATION

Internal code : 17G04-FSE2-1-DM

Customer identification : Buddhawood - Australia - ea-201016

Type : Essential oil

Source : Eremophillia mitchelli

Customer : Flowers Shining Everywhere Inc.



ANALYSIS

Method : PC-PA-001-15E06, "Analysis of the composition of a liquid essential oil by GC-FID" (in French).

Analyst : Sylvain Mercier, M. Sc., chimiste

Analysis date : 2017-07-07

Checked and approved by :



Alexis St-Gelais, M. Sc., chimiste 2013-174


















Note: This report may not be published, including online, without the written consent from Laboratoire PhytoChemia.

This report is digitally signed, it is only considered valid if the digital signature is intact.



IDENTIFIED COMPOUNDS

Identification	Column: BP5			Column: WAX			Molecular Class
	R.T.	R.I.	%	%	R.I.	R.T.	
β-Elemene	18.97	1380	0.01	0.01	1527	9.00	Sesquiterpene
Unknown (m/z = 111, 126 (62), 41 (47), 69 (44), 179 (28), 123 (28)... 194 (17)...) 	23.85	1443	0.06				
4,5-diepi-Aristolochene	24.72	1453	0.19	0.25	1596	11.37*	Sesquiterpene
γ-Selinene 	25.18	1459	0.08	[0.25]	1596	11.37*	Sesquiterpene
Eremophilene 	26.35	1473	1.26	1.26	1627	12.50	Sesquiterpene
α-Selinene	26.92	1480	0.23	0.23	1639	12.93	Sesquiterpene
Nootkatene	27.65	1489	0.14	0.13	1697	15.87	Sesquiterpene 
γ-Vetivenene	29.56	1514	0.05	0.06	1726	17.35	Sesquiterpene
β-Vetivenene	31.17	1536	0.09	0.10	1748	18.48	Sesquiterpene
Unknown (m/z = 96, 68 (95), 206 (91), 109 (53), 67 (49)) 	33.63	1570	0.16				
Unknown (m/z = 151, 152 (67), 194 (61), 109 (60), 124 (50), 110 (46), 137 (42)) 	34.83	1587	0.33				
Unknown (m/z = 43, 81 (100), 135 (77), 204 (72), 67 (70), 71 (68), 189 (63), 207 (62), 95 (61)... 222 (5)) 	36.23	1611	1.24	1.12	2033	36.02	Oxygenated sesquiterp.
Unknown (m/z = 111, 55 (100), 41 (97), 109 (93), 108 (72), 189 (71), 67 (70)... 204 (63), 222 (4)) 	37.80	1650	1.08				Oxygenated sesquiterp.
Unknown (m/z = 151, 109 (32), 67 (23), 95 (18), 41 (17)... 220 (7)) 	38.05	1656	0.83				Oxygenated sesquiterp.
Unknown (m/z = 93, 108 (66), 109 (51), 91 (48), 107 (38)... 218 (21)) 	38.80	1674	3.28	3.21	2124	39.17	Oxygenated sesquiterp.
Unknown (m/z = 109, 236 (87), 193 (69), 123 (69), 41 (67), 207 (55), 55 (52), 91 (51)) 	40.40	1717	0.54				Sesquiterp. alcohol
Eremophilone	41.19	1742	36.04	36.53	2192	41.09	Sesquiterp. ketone
8-Hydroxydihydroeremophilone 	41.59	1755	11.58	11.66	2271	43.09	Sesquiterp. alcohol
8-Hydroxy-1,11-eremophiladien-9-one 	41.70	1758	0.87	0.74	2292	43.57	Sesquiterp. alcohol
Unknown (m/z = 137, 234 (78), 191 (74), 109 (64), 163 (58), 41 (55), 91 (53)) 	41.88	1764	2.03				Sesquiterp. alcohol 

Unknown (m/z = 234, 217 (46), 41 (27), 67 (26), 205 (23))	42.61	1787	1.49				Sesquiterp. alcohol
Unknown (m/z = 218, 161 (92), 147 (84), 191 (70), 234 (66), 91 (63))	42.89	1796	0.51				Sesquiterp. alcohol
2-Hydroxyeremophilone	44.23	1844	26.58	28.58	2338	44.61	Sesquiterp. alcohol
Unknown (m/z = 232, 91 (31), 217 (29), 77 (22), 231 (21), 215 (21))	44.40	1850	0.85	0.87	2370	45.31	Sesquiterp. alcohol
9-Hydroxy-1,7(11),9-eremophilatrien-8-one	45.20	1879	7.08	7.39	2460	47.18	Sesquiterp. alcohol
Total identified		84.20%	86.94%				

*: Two or more compounds are coeluting on this column

[xx]: Duplicate percentage due to coelutions, not taken account in the identified total

Note: no correction factor was applied

OTHER DATA


Physical aspect : Bright red liquid

Refractive index : 1.5340 ± 0.0003 (20 °C)

CONCLUSION

No adulterant, contaminant or diluent were detected using this method.

17G04-FSE2-1-DM_BP5



17G04-FSE2-1-DM_WAX

